



## Quick Start Guide

---

### Winfrasoft SmoothWall Appliance

### Quick Start Guide

**Published:** May 2013

**Applies to:** Winfrasoft Gateway Appliance

**Web site:** <http://www.winfrasoft.com>

**Email:** [support@winfrasoft.com](mailto:support@winfrasoft.com)

Information in this document, including URL and other Internet Web site references, is subject to change without notice. Unless otherwise noted, the example companies, organizations, products, domain names, e-mail addresses, logos, people, places and events depicted herein are fictitious, and no association with any real company, organisation, product, domain name, e-mail address, logo, person, place or event is intended or should be inferred. Complying with all applicable copyright laws is the responsibility of the user.

Winfrasoft may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written licence agreement from Winfrasoft, the furnishing of this document does not give you any licence to these patents, trademarks, copyrights, or other intellectual property.

Microsoft Active Directory, Microsoft Forefront, TMG 2010, UAG 2010, Windows and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

The names of actual companies and products mentioned herein may be the trademarks of their respective owners.

---

# Table of Contents

<b>TABLE OF CONTENTS</b> .....	<b>3</b>
<b>INTRODUCTION</b> .....	<b>4</b>
DOWNLOAD FILES.....	4
<b>INITIAL CONFIGURATION DETAILS</b> .....	<b>4</b>
<b>VMWARE VIRTUAL APPLIANCE</b> .....	<b>5</b>
COMPATIBILITY .....	5
VIRTUAL HARD DISK.....	5
CREATING A VIRTUAL SERVER INSTANCE.....	5
<b>HYPER-V VIRTUAL APPLIANCE</b> .....	<b>6</b>
COMPATIBILITY .....	6
VIRTUAL HARD DISK.....	6
CREATING A VIRTUAL SERVER INSTANCE.....	6

## Introduction

The Winfrasoft SmoothWall Virtual Appliance is factory prepared to provide a fast and consistent setup process. This quick start guide is designed to help you with the initial Setup process. It is highly recommend that you follow all of the instructions in this document.

The appliance is available in both VMware and Hyper-V formats to suite your virtualisation platform of choice.

---

## Download Files

The appliance download is compressed in a standard ZIP format and includes a Virtual Hard Disk file specific to the virtualisation platform as follows:

- Winfrasoft SmoothWall Appliance - VMware.zip
- Winfrasoft SmoothWall Appliance - Hyper-V.zip

Only Virtual Hard Disk files are supplied in the ZIP file, not a full Virtual Machine configuration.

---

## Initial configuration details

Application version: SmoothWall Express 3.0 "Polar" SP3

Appliance Web UI URL: <http://192.168.0.1/>

Green Interface: 192.168.0.1/24

Red Interface: DHCP

Admin password: Pa55w0rd

Root password: Pa55w0rd

Support URL: <http://community.smoothwall.org/forum/>

# VMware Virtual Appliance

---

## Compatibility

The Virtual Appliance has been pre-configured for compatibility with:

- VMware ACE 2.5 -> 2.7
- VMware ESX 4.x and 5.0
- VMware Fusion 2.x and later
- VMware Server 2.x
- VMware Workstation 6.5 and later

---

## Virtual Hard Disk

Inside the downloaded ZIP is the following virtual hard disk file:

```
Winfrasoft SmoothWall Appliance.vmdk
```

---

## Creating a Virtual Server instance

Select Linux, Debian 6 64-bit Operating System type.

Add as much RAM and CPU cores as required based on expected load.

Add at least 2 network interfaces.

Attach the extracted virtual hard disk file as a SCSI device.

# Hyper-V Virtual Appliance

---

## Compatibility

The Virtual Appliance has been pre-configured for compatibility with:

- Microsoft Hyper-V Server 2008 R2 and 2012
- Windows Server 2008 R2 and 2012 with Hyper-V
- Windows 8 with Hyper-V

---

## Virtual Hard Disk

Inside the downloaded ZIP is the following virtual hard disk file:

```
Winfrasoft SmoothWall Appliance.vhd
```

---

## Creating a Virtual Server instance

Add as much RAM and CPU cores as required based on expected load.

Remove the existing network interface and add at least 2 **legacy** network interfaces.

Attach the extracted virtual hard disk file as a SCSI device.